Reply dated October 5, 2005

Reply to Office Action of July 5, 2005

Page 7 of 11

**REMARKS** 

Claims 1-7 are pending in the application. New claims 5-7 have been added.

Specification and Claims

Minor changes have been made to the specification, and claims to place them in better

form for U.S. practice.

Substitute Specification

The above-noted specification changes are set forth in the attached Substitute

Specification. The Substitute Specification does not contain new matter.

A Comparison Specification showing the matter being added to and deleted from the

original specification is also submitted herewith.

The Examiner is respectfully requested to approve the Substitute Specification.

An Embodiment of the Present Invention

An embodiment of the present invention is directed to a suspension cross member 1

having bulkheads 40, 40 provided between upper and lower member plates 22, 23 transversely

and inwardly of the support points for the rearward arms in such a manner that a circumferential

edge 43 of each of the bulkheads 40, 40 extends longitudinally to a rear of the vehicle from a

disconnection initiating point G located on a forward arm side of the opening along inner sides of

the upper and the lower plate members so as to be welded to the upper and lower plate members.

This feature is clearly disclosed at least in page 14, lines 4-12 of the specification as filed.

Reply dated October 5, 2005

Reply to Office Action of July 5, 2005

Page 8 of 11

Claim Rejections – 35 U.S.C. § 102

Claims 1-3 have been rejected under 35 U.S.C. § 102(b) as being anticipated by JP2001-

253218 (relating to USP 6,494,472 to Suzuki). This rejection is respectfully traversed.

The cited JP reference was filed in Japan on March 13, 2000 and the application No.

thereof is P2000-68029. USP 6,494,472 (hereinafter, Suzuki) claims priority based on Japanese

application No. 2000-068029 filed on March 13, 2000. Therefore, Applicants believe that Suzuki

is a corresponding U.S. application and the disclosure therein is identical to that of the

corresponding Japanese application. For the sake of efficiency, Applicants relies on the

statements in the U.S. patent for the following patentability arguments.

Suzuki discloses a U-shaped bracket 11 provided between an upper plate 8 and a lower

plate 9. As Suzuki states, in col. 4, lines 17-24, that

This bracket 11 is disposed between the lower plate 9 and the upper plate 8 by joining a lower plate portion 11b thereof to the lower plate 9 beforehand and by bringing an upper plate 8 after the upper plate 8 is assembled to the lower plate 9, by which the proximal end portion of the suspension lower arm support portion

9b is isolated from an internal space.

Suzuki also discloses, in col. 6, lines 14-16 that

Also, the bracket 11 may be formed so that either one of the lower plate portion

11b and the upper plate portion 11c may be joined to the lower plate 9 or the

upper plate 8.

Therefore, Suzuki discloses joining either one of the lower plate portion 11b or the upper

plate portion 11c to the lower plate 9 or the upper plate 8, but fails to disclose that both the upper

plate portion 11c and the lower plate portion 11b must "be welded to the upper and lower plate

members." Therefore, Suzuki does not disclose or suggest the "bulkheads" as recited in claim 1.

Reply dated October 5, 2005

Reply to Office Action of July 5, 2005

Page 9 of 11

Claims 2 and 3, dependent on claim 1, are allowable at least for their dependency on

claim 1.

٠

The Examiner is respectfully requested to reconsider and withdraw this rejection.

Claim Rejections – 35 U.S.C. § 103

Claim 3 has been rejected under 35 U.S.C. § 103(a) as being unpatentable over Suzuki.

This rejection is respectfully traversed.

Claim 3, dependent on claim 1, is allowable at least for its dependency on claim 1.

The Examiner is respectfully requested to reconsider and withdraw this rejection.

Allowable Subject Matter

Applicants appreciate the Examiner's indication that claim 4 would be allowable if

rewritten in independent form including all of the limitations of the base claim and any

intervening claims.

Rather than amending claim 4 to include all of the limitations of claim 1, new claim 7,

which includes all of the limitations of claims 1 and 4 have been added.

Applicants believe that claim 4, dependent on claim 1, is allowable at least for its

dependency on claim 1.

A favorable determination and allowance of these claims is earnestly solicited.

Application No.: 10/743,150

Reply dated October 5, 2005

Reply to Office Action of July 5, 2005

Page 10 of 11

New Claims

In addition to claim 7, new claims 5 and 6 have been added.

Claims 5 and 6, dependent on claim 1, are allowable at least for their dependency on

claim 1.

A favorable determination by the Examiner and allowance of these claims is earnestly

solicited.

Conclusion

Accordingly, in view of the above amendments and remarks, reconsideration of the

rejections and objections, and allowance of the pending claims are earnestly solicited.

Should there be any outstanding matters that need to be resolved in the present

application, the Examiner is respectfully requested to contact Maki Hatsumi (#40,417) at the

telephone number of the undersigned below, to conduct an interview in an effort to expedite

prosecution in connection with the present application.

Docket No.: 0649-0938P

Reply dated October 5, 2005

Reply to Office Action of July 5, 2005

Page 11 of 11

of time fees.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or to credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension

Dated: October 5, 2005

Respectfully submitted,

H Charles Gorenstein

Registration No.: 29,271

BIRCH, STEWART, KOLASCH & BIRCH, LLP

8110 Gatehouse Rd

Suite 100 East

P.O. Box 747

Falls Church, Virginia 22040-0747

(703) 205-8000

Attorney for Applicant

Attachments: Substitute Specification - 13 pages

Comparison Specification - 19 pages